

# DOCTORAIR

## RELAX CHAIR

### User Manual

Thank you for purchasing doctorair product.

- Please read this carefully before using this product.
- The illustration in this manual are for image purposes only.



#### Precautions

- Please watch your fingers/hands/legs when assembling, using this product.
- Please make sure all the parts are included before using this product.
- Please do not stand, jump, sit vigorously. It may cause injury.
- Please do not sit on backrest or armrest.
- Please install and use this on hard and stable place.
- Please do not tilt this while sitting on.
- Please use this for sitting purpose only.
- Please check any deformation, damage, tear and if found any do not use.
- Please avoid fire, direct sunlight, high temperature, and humidity.
- Please check screws, and wormhole on a regular basis.
- May scratch or damage floor, carpet, tatami mat.
- Maximum weight capacity is 110kg. Please do not load more than 110kg.
- Please follow local regulations to dispose.

#### Care

##### ■ Fabric

- Remove dust with vacuum cleaner. Please clean with a wet sponge or soft cloth followed by a dry cloth.
- Do not machine wash.

##### ■ Wood


- Please use soft cloth to remove dust. Please clean with a wet sponge or soft cloth followed by a dry cloth. Please do not use alcohol or thinner.

## How to assemble


- Please check all the parts are included before assembling.
- Please assemble at spacious place. Suggested to put rugs to avoid any scratches on the floor.
- Please watch your fingers/hands/legs when assembling. It may cause injury.

### [Package content]


Arm rest(right)



Arm rest(left)



Fix frame x 2




- There are 6 holes inside and 4 on the outside of armrest,


### Screws

- Screw D is attached with screw C. Take it apart before use

Seat (each) x 1



Hex wrench



(A)  
x2



(B)  
x4



(C)  
x4




(D)  
x4



(E)  
x4


Seat cover x 1




### [Finish]



1. Connect seat and back with screw A.




2. Put the seatcover from top of the back side of chair and align screw hole and eyelet.




3. Place screw E into the hole of fixed frame.

- Insert the screw into the hole which is not penetrating.




4. Assembl frame.

Please make sure that armrest with six opened holes should face inside.



## How to assemble

5. Align the screw holes of the frame and side of the seat, and then connect with screw.



## Specification

● Model	RC-001 / RC-002	
● Maximum weight capacity	110kg	
● Material	RC-001	Frame:Wood Seat cover:Cotton, polyester
	RC-002	Frame:Wood Seat cover: polyurethane
● Country of manufacture	China	

## Guarantee rule

Free replacement only for initial failure before use.

If it is confirmed initial failure, send us the product and will send you a new one. (Free return/exchange shipping)

Initial failure is accepted within 7days after the purchase(deliverly date)

Keep the receipt/invoice for exchange. No repair is provided for this product.

★ For inquiries about mechanical failure and repair; Please contact at your purchased store.